Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	3534	382/168,172,260-266,272, 276.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:10
L2	72	(382/168,172,260-266,272, 276.ccls.) and (histogram and statistic\$54 and variance and deviation)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:10
L4	94	plural\$3 with (statistic\$3 near4 table\$2)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12
L5	127	noise with (film adj type\$2)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:13
L6	0	4 with 5	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:13
L7	0	4 and 5	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:14
L9	8	scan\$4 with film with noise with (identification or tag\$2 or mark\$4)	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:19
L10	79	scan\$4 with icc	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:16

L11	45	10 with profile\$2	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:16
L12	188	(GINDELE adj EDWARD). in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	ON	2005/10/12 16:20
L13	1	("6718068").URPN.	USPAT	OR	ON	2005/10/12 16:32
L14	3	serrano-n\$.in.	USPAT	OR	ON	2005/10/12 16:32
L15	3	(accumulat\$4 with statisti\$4 with noise).clm.	US-PGPU B	OR	ON	2005/10/12 16:35
L16	3	(statisti\$4 with noise with table\$2).clm.	US-PGPU B	OR	ON	2005/10/12 16:36



Home | Login | Logout | Access Information | Alerts | Sitemap | He

Welcome United States Patent and Trademark Office

□ Search Session History

BROWSE

SEARCH

SUPPORT

Edit an existing query or

compose a new query in the Search Query Display.

Select a search number (#) to:

- · Add a query to the Search Query Display
- · Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

IEEE XPLORE GUIDE

Search Query Display

Wed, 12 Oct 2005, 4:49:37 PM EST

Recent Search Queries

Resu

<u>#1</u> ((gindele<in>au)) <and> (pyr >= 1950 <and> pyr <= 2001)

<u>#2</u> ((gindele<in>au)) <and> (pyr >= 1950 <and> pyr <= 2002)

(((serrano<in>au) <and> (navid<in>au))) <and> (pyr >= <u>#3</u> 1950 <and> pyr <= 2000)

(((serrano<in>au) <and> (noise<in>metadata))) <and> (pyr #4 >= 1950 <and> pyr <= 2000)

(((serrano<in>au) <and> (n<in>au))) <and> (pyr >= 1950 <u>#5</u> <and> pyr <= 2000)

indexed by

Help Contact Us Privacy & Security IEEE.

© Copyright 2005 IEEE - All Rights Resei